

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L13	7	((((dyanmic\$4 adj compil \$4) jvm vm clr) with (trac\$4 profil\$5)) same ((performance adj data) (cache adj miss))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/10 14:47
L12	29	9 and hot and L10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/10 14:47
L11	77	9 and L10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/10 14:46
L10	7920	717/124-135,151-161. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/10 14:46
L9	719	((((dyanmic\$4 adj compil \$4) jvm vm clr) with (trac\$4 profil\$5)) same (time (performance adj data) (cache adj miss))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/10 14:46
L8	1807	((((dyanmic\$4 adj compil \$4) jvm vm clr) with (trac\$4 profil\$5)) and (time (performance adj data) (cache adj miss))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/10 14:46
L7	0	2 and (((dyanmic\$4 adj compil\$4) jvm vm clr) with trac\$4) and (miss)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/10 14:26

L6	6	2 and (((dyanmic\$4 adj compil\$4) jvm vm clr) with trac\$4) and (trac \$4 with (time miss))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/10 14:25
L5	6	2 and (((dyanmic\$4 adj compil\$4) jvm vm clr) with trac\$4) and (trac \$4 with time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/10 14:21
L4	7	2 and (((dyanmic\$4 adj compil\$4) jvm vm clr) with trac\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/10 14:19
L3	10	2 and ((dyanmic adj compiler) jvm vm clr)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/10 14:18
L2	18	(US-20040193395-\$ or US-20040073898-\$ or US-20020091995-\$ or US-20070074170-\$ or US-20050223368-\$ or US-20070143743-\$ or US-20020040470-\$ or US-20050114844-\$ or US-20020108107-\$). did. or (US-6694507-\$ or US-6813731-\$ or US-6118940-\$ or US-6658557-\$ or US-6311325-\$ or US-6961930-\$ or US-7269824-\$ or US-7421681-\$).did. or (EP-459192-\$).did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2010/09/10 14:18
S69	2	"5212794".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/10 10:29

S68	2	"5796939".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/10 07:56
S67	12	S65 and S66	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/10 07:49
S66	7920	717/124-135,151-161. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/10 07:49
S65	423	((common\$4 frequent \$4 repeat\$4) with (code block instruction)) and S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/10 07:41
S64	9	((common\$4 frequent \$4 repeat\$4) with (code block instruction)) same S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/10 07:38
S63	2510	aggregat\$4 with performance with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/10 07:38
S62	2	(common adj sub \$string) with (code near segment)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/09 16:15
S61	7	S59 and S60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/09 16:11

S60	7920	717/124-135,151-161. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/09 16:11
S59	48	(identif\$5 detect\$4) with (common frequent \$4) with (code adj segment)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/09 16:10
S58	376	(common frequent\$4) with (code adj segment)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/09 16:10
S57	1	10/585292.app. and (dump dump adj information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/09 14:39
S56	34	S52 and S55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/09 10:03
S55	65	((dynamic adj compil \$5) (jvm vm (virtual adj machine))) with (dump \$4 trace\$4) with (performance (execution time cache miss)) and ((common\$4 frequent\$4 hot repeat \$5) with code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/09 10:02
S54	3	((dynamic adj compil \$5) (jvm vm (virtual adj machine))) with (dump \$4 trace\$4) with (performance (execution time cache miss)) same((common \$4 frequent\$4 hot repeat\$5) with code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/09 09:53

S53	59	S51 and S52	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/09 09:49
S52	7920	717/124-135,151-161. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/09 09:49
S51	183	((dynamic adj compil \$5) (jvm vm (virtual adj machine))) with (dump \$4 trace\$4) with (performance (execution time cache miss))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/09 09:49
S50	1	10/585292.app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/09 09:43
S49	4	generat\$5 with (trace flow) with instruction with dump\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/09 09:17
S48	1	generat\$5 with (trace flow) with instruction with dump\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/09 09:17
S47	33	S43 and S38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/26 11:11
S46	1	S45 and S38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/26 11:11

S45	9	((common\$4 frequent \$4 repeat\$4) with (code block instruction)) same S43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/26 11:11
S44	4	((common\$4 frequent \$4 repeat\$4) with (code block instruction)) with S43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/26 11:09
S43	2496	aggregat\$4 with performance with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/26 11:08
S42	1031	aggregate with performance with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/26 11:08
S41	58	S40 and S38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/26 10:41
S40	420	(dump\$4 trace\$4) with S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/26 10:41
S39	70	S37 and S38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/26 10:40
S38	7863	717/124-135,151-161. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/26 10:40

S37	2046	(dump\$4 trac\$4) with S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/26 10:40
S36	82278	(identif\$5 identification detect\$5) with (common frequent\$3 hot repeat\$5) with (code block segment function method call)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/26 10:40
S35	20	S32 and S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/26 09:28
S34	2	S33 and S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/26 09:26
S33	33	S29 same dump	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/26 09:26
S32	2175	S29 and dump	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/26 09:26
S31	551	S29 and S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/26 09:26
S30	7863	717/124-135,151-161. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/26 09:26

S29	82278	(identif\$5 identification detect\$5) with (common frequent\$3 hot repeat\$5) with (code block segment function method call)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/26 09:26
S28	1	S26 and S27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/25 15:13
S27	7855	717/124-135,151-161. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/25 15:13
S26	24	(common with substring with (analy\$5 detect \$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/25 15:13
S25	1	S23 and S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/25 15:11
S24	1937	stack with (dump\$4 walk\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/25 15:11
S23	77	hot adj (trace block) with (identif\$5 identification detect\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/25 15:10
S22	48	hot adj (trace block) with identif\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/25 15:04

S21	824	hot adj (trace block)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/25 15:04
S20	65	hot adj trace	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/25 15:04
S19	5	S15 and S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/25 13:28
S18	2	S15 same S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/25 13:28
S17	602	performance near data with aggregat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/25 13:27
S16	313	S8 and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/25 13:27
S15	7587	(frequent hot common) with (code instruction) with (segment block sequence)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/25 13:26
S14	1	S12 same dump\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/25 13:25

S13	1	S12 same dump	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/25 13:25
S12	746	code with template with match\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/25 13:22
S11	16	(common with substring with analy\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/25 13:21
S10	4	S8 and dump same (common repeat\$4 hot) with (code segment block)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/25 13:16
S9	353	S8 and dump	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/25 13:15
S8	7855	717/124-135,151-161. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/25 13:13
S7	0	(hot adj trace) with dump	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/25 11:59
S6	1	("5848275" "20030046667").pn. and match\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/25 11:58

S5	0	("5848275" "20030046667").pn. and match	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/25 11:58
S4	0	("5848275" "20030046667").pn. and dump	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/25 11:58
S3	4	("5848275" "20030046667").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/25 11:56
S2	1	10/585292.app. and dump	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/25 10:36
S1	1	10/585292.app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/25 10:35

EAST Search History (I nterference)

< This search history is empty >

9/ 10/ 2010 3:32:00 PM**C:\ Documents and Settings\ jmitchell\ My Documents\ EAST\ Workspaces\ 10-585,292.wsp**